

Conditional Formats in 3.6 and 3.7/4.0

- Markus Mohrhard

What we have in 3.5 and before

- ▼ Normal formats like cell is equal, less than, ...
- ▼ Formula is: ...
- ▼ Some problems with the dialog: Scrollbar
- ▼ For 3.4: support for an unlimited number of formats added

Color Scales and Data Bars

▼ Color Scale

- ▼ Coloring all the cells with values
- ▼ Calculating the cell color based on the value and type of format

▼ Data Bar

- ▼ Draw a bar based on cell value
- ▼ Different effects like gradient, different kind of axis, colors,...

New Dialogs

- ▼ How did you know which cell have an applied conditional format?
- ▼ How do you remove them?
- ▼ Problem:
 - ▼ How to integrate Color Scales and Data Bars?
 - ▼ How to make handling relative references easier?
- ▼ Solution: Write new dialogs:
 - ▼ UX Team:
http://wiki.documentfoundation.org/Design/Whiteboards/Conditional_Formatting

What to expect in 3.7?

- ▼ Icon Sets
- ▼ Overlapping Conditional Formats (implemented)
- ▼ Improvements for Dialogs (partly implemented)
- ▼ New classical conditional formats
- ▼ Export to OOXML (implemented)
- ▼ Performance Improvements (implemented)

BERLIN 2012 CONFERENCE

17th-19th October

Thank you for listening!

- Pick a daily build.
- Test and write bug reports!
- Torture me until I fix them.



All text and image content in this document is licensed under the [Creative Commons Attribution-Share Alike 3.0 License](#) (unless otherwise specified). "LibreOffice" and "The Document Foundation" are registered trademarks. Their respective logos and icons are subject to international copyright laws. The use of these therefore is subject to the [trademark policy](#).